Cabinet constructed from high quality 30mm (1+1/4') thick multi-layer plywood coated with plastic laminate and aluminium border.



Colour: black with ITSF logo and official Competition plate with series number.

9 x 9cm (4' x 4') square steel legs coated with antiscratch silver powder-varnish.

Competition levellers for a perfectly flat playing field.

Going-through high resistance, machine-true hollow steel bars (diameter 16mm) with increased thickness (3mm instead of 2.2mm, allowing 50 % more torsion resistance). Bars are treated with anti-rust chromium plating.

New rubber bumpers instead of springs (21 mm length) for a better shock absorption.

Distancing rubber on the goalkeeper bar maintaining the player within the goal range.

Steel roller bearings to greatly improve the game speed, while reducing the stress for the players' wrists.

One-colour players in plastic material (moplen) representing a stylized human figure, directly moulded onto the bars: they do not move, cannot be displaced and maintain their positions perfectly. Team colours: red and blue.


Available with fully rotating goalkeeper.

Professional plastic handles with wooden inserts to reduce perspiration and improve grip.

Playing field of non-reflective sanded glass. Glass is 5mm thick and always tempered. The silk-screen printed white lines on a green background reproduce the football ground.

New playfield corners without steps for a correct ball running.

Goals in HDP (high density polymer) reinforced with fibreglass and innovating profile moulded to prevent irregular ball trajectories.



3 Speed Control balls supplied.